Author Index

Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Determination of aminoglycoside antibiotics in pharmaceuticals by capillary zone electrophoresis with indirect UV detection coupled with micellar electrokinetic capillary chromatography 606(1992)229

Al-Lamee, K. G., see Bamford, C. H. 606(1992)19

Albertsen, A., see Steudel, R. 606(1992)260

Amelio, M., Rizzo, R. and Varazini, F.
Determination of sterols, erythrodiol, uvaol and alkanols in olive oils using combined solid-phase extraction, high-performance liquid chromatographic and high-resolution gas chromatographic techniques 606(1992)179

Andersson, S.
Determination of coenzyme Q by non-aqueous reversed-phase liquid chromatography 606(1992)272

Ang, S.-G., see Lai, Y.-H. 606(1992)251

Aue, W. A., Sun, X.-Y. and Millier, B.
Inter-elemental selectivity, spectra and computer-generated specificity of some main-group elements in the flame photometric detector 606(1992)73

Bamford, C. H., Al-Lamee, K. G., Purbrick, M. D. and Wear, T. J.
Studies of a novel membrane for affinity separations. I. Functionalisation and protein coupling 606(1992)19

Barkley, D. J., Bennett, L. A., Charbonneau, J. R. and Pokrajac, L. A.
Applications of high-performance ion chromatography in the mineral processing industry 606(1992)195

Bartig, D. and Klink, F.
Determination of the unusual amino acid hypusine at the lower picomole level by derivatization with 4-dimethylaminoazobenzene-4′-sulphonyl chloride and reversed-phase high-performance or medium-pressure liquid chromatography 606(1992)43

Baškevičiūtė, B., see Žutautas, V. 606(1992)55

Beckers, J. L., see Ackermans, M. T. 606(1992)229

Bello, M. S. and Righetti, P. G.
Unsteady heat transfer in capillary zone electrophoresis. I. A mathematical model 606(1992)95

Bello, M. S. and Righetti, P. G.
Unsteady heat transfer in capillary zone electrophoresis. II. Computer simulations 606(1992)103

Bennett, L. A., see Barkley, D. J. 606(1992)195

Betts, T. J.
Use of three molecularly toroid phases for the gas chromatography of some volatile oil constituents, and comparison with liquid crystal phases 606(1992)281

Bleichert, E., see Gagnon, H. 606(1992)255

Bonetti, G., see Maignial, L. 606(1992)87

Bornscheuer, U., Schapöhler, S., Scheper, T., Schügerl, K. and König, W. A.
Application of enantioselective capillary gas chromatography in lipase-catalysed transesterification reactions in organic media 606(1992)288

Borro, A., see Shanahan, P. 606(1992)171

Chaintreau, A., see Maignial, L. 606(1992)87

Charbonneau, J. R., see Barkley, D. J. 606(1992)195

Chen, N., Zhang, Y. and Lu, P.
Effects of molecular structure on the *S* index in the retention equation in reversed-phase high-performance liquid chromatography 606(1992)1

Chesler, S. N., see Emery, A. P. 606(1992)221

Christensen, M. W., see Kirk, O. 606(1992)49

Damhus, T., see Kirk, O. 606(1992)49

De Kock, J., De Smet, M. and Sneyers, R.
Determination of diclazuril in animal feed by liquid chromatography 606(1992)141

De Leeuw, J. W., see Hartgers, W. A. 606(1992)211

Desbène, P.-L., see Oliveros, L. 606(1992)9

Desmazières, B., see Oliveros, L. 606(1992)9

De Smet, M., see De Kock, J. 606(1992)141

Deyl, Z.
Rapid methods for analysis of food and food raw materials (edited by W. Baltes) (Book Review) 606(1992)299

Emery, A. P., Chesler, S. N. and MacCrehan, W. A.
Recovery of diesel fuel from clays by supercritical fluid extraction–gas chromatography 606(1992)221

Everaerts, F. M., see Ackermans, M. T. 606(1992)229

Gagnon, H., Tahara, S., Bleichert, E. and Ibrahim, R. K.
Separation of aglucones, glucosides and prenylated isoflavones by high-performance liquid chromatography 606(1992)255

Garcia, F. and Henion, J.
Fast capillary electrophoresis–ion spray mass spectrometric determination of sulfonylureas 606(1992)237

Glennon, J. D., see Shanahan, P. 606(1992)171

Guiochon, G. and Sepaniak, M. J.
Influence of pressure on solute retention in liquid chromatography 606(1992)248

Haken, J. K.
Modern methods of polymer characterization (edited by H. G. Barth and J. W. Mays) (Book Review) 606(1992)297

Hanaoka, N. and Tanaka, H.
Improvement of peroxyoxalate chemiluminescence detection in liquid chromatography with gradient elution and a long reaction time 606(1992)129

Hartgers, W. A., Sinninghe Damsté, J. S. and De Leeuw, J. W.
Identification of C_2–C_4 alkylated benzenes in flash pyrolysates of kerogens, coals and asphaltenes 606(1992)211

Henion, J., see Garcia, F. 606(1992)237

Hermans, J. M. H., see Van Alebeek, G.-J. W. M. 606(1992)65

Huston, C. K.
Manipulation of ion trap parameters to maximize compound-specific information in gas chromatographic–mass spectrometric analyses 606(1992)203
Ibrahim, R. K., see Gagnon, H. 606(1992)255
Inaba, H., see Saeki, R. 606(1992)187
Iwase, H.
Determination of ascorbic acid in elemental diet by high-performance liquid chromatography with electrochemical detection 606(1992)277
Janča, J.
Cell separation science and technology (edited by D. S. Kompala and P. Todd) (Book Review) 660(1992)152
Keltjens, J.T., see VanAlebeek, G.-J.W.M. 606(1992)65
Kenney, W. C., see Watson, E. 606(1992)165
Kirk, O., Damhus, T. and Christensen, M. W.
Determination of peroxycarboxylic acids by high-performance liquid chromatography with electrochemical detection 606(1992)49
Klink, F., see Bartig, D. 606(1992)43
König, W. A., see Bornscheuer, U. 606(1992)288
Kozekov, I. D., see Palamareva, M. D. 606(1992)113
Krull, I. S., see Magiera, D. J. 606(1992)264
Krull, I. S., see Mazzeo, J. R. 606(1992)291
Lai, Y.-H., Ang, S.-G. and Li, H.-C.
High-performance liquid chromatographic study of acenaphthaleno[1,2-*e*]pyrene, phenanthro[9,10-*e*]pyrene and their dihydro derivatives 606(1992)251
Lee, W.-C.
Plate-height equation for non-linear chromatography 606(1992)153
Li, H.-C., see Lai, Y.-H. 606(1992)251
Lu, P., see Chen, N. 606(1992)1
MacCrehan, W. A., see Emery, A. P. 606(1992)221
Magiera, D. J. and Krull, I. S.
Determination of alkaline phosphatase aggregation by size exclusion high-performance liquid chromatography with low-angle laser light scattering detection 606(1992)264
Maignial, L., Pibarot, P., Bonetti, G., Chaintreau, A. and Marion, J. P.
Simultaneous distillation–extraction under static vacuum: isolation of volatile compounds at room temperature 606(1992)87
Marion, J. P., see Maignial, L. 606(1992)87
Matuška, R., Preisler, L. and Sedlář, J.
Determination of the polymeric light stabilizer Chimassorb 944 in polyolefins by isocratic high-performance liquid chromatography 606(1992)136
Mazzeo, J. R. and Krull, I. S.
Improvements in the method developed for performing isoelectric focusing in uncoated capillaries 606(1992)291
Millier, B., see Aue, W. A. 606(1992)73
Minguillón, C., see Oliveros, L. 606(1992)9
Misra, S., see Sharma, S. D. 606(1992)121
Miyazawa, T., see Saeki, R. 606(1992)187
Mizuguchi, T., see Shimada, K. 606(1992)133
Nagai, T.
Chromatographic behaviour of bis(2,2′-bipyridine)ruthenium(II) complexes containing alaninato, phenylalaninato and tyrosinato ligands 606(1992)33
O'Connor, J., see Osman, S. F. 606(1992)285
O'Gara, F., see Shanahan, P. 606(1992)171
Oliveros, L., Minguillón, C., Desmazières, B. and Desbène, P.-L.
Chiral-bonded silica gel stationary phases obtained from chiral silanes for high-performance liquid chromatography. Comparison of performance with that of stationary phases obtained from γ-aminopropylsilica gel 606(1992)9
Osman, S. F. and O'Connor, J.
Gas chromatography–mass spectrometry method for the determination of the reducing end of oligo- and polysaccharides 606(1992)285
Palamareva, M. D. and Kozekov, I. D.
Chromatographic behaviour of diastereoisomers. XI. Steric effects and solvent selectivity effects in retentions on silica of esters of maleic and fumaric acids 606(1992)113
Pesliakas, H., see Žutautas, V. 606(1992)55
Pibarot, P., see Maignial, L. 606(1992)87
Pokrajac, L. A., see Barkley, D. J. 606(1992)195
Preisler, L., see Matuška, R. 606(1992)136
Purbrick, M. D., see Bamford, C. H. 606(1992)19
Righetti, P. G., see Bello, M. S. 606(1992)95
Righetti, P. G., see Bello, M. S. 606(1992)103
Rizzo, R., see Amelio, M. 606(1992)179
Saeki, R., Inaba, H., Suzuki, T. and Miyazawa, T.
Chemiluminescent detection of thymine hydroperoxides by high-performance liquid chromatography 606(1992)187
Schapöhler, S., see Bornscheuer, U. 606(1992)288
Scheper, T., see Bornscheuer, U. 606(1992)288
Schügerl, K., see Bornscheuer, U. 606(1992)288
Sedlář, J., see Matuška, R. 606(1992)136
Sepaniak, M. J., see Guiochon, G. 606(1992)248
Shanahan, P., Borro, A., O'Gara, F. and Glennon, J. D.
Isolation, trace enrichment and liquid chromatographic analysis of diacetylphloroglucinol in culture and soil samples using UV and amperometric detection 606(1992)171
Sharma, S. D. and Misra, S.
Effect of solvent composition and pH on R_F values of metal ions on titanium tungstate-impregnated papers in aqueous nitric acid, acetone–nitric acid and butanol–nitric acid systems 606(1992)121
Shimada, K. and Mizuguchi, T.
Sensitive and stable Cookson-type reagent for derivatization of conjugated dienes for high-performance liquid chromatography with fluorescence detection 606(1992)133
Singh, R. K. P., see Yadav, A. 606(1992)147
Sinninghe Damsté, J. S., see Hartgers, W. A. 606(1992)211
Sneyers, R., see De Kock, J. 606(1992)141

Steudel, R. and Albertsen, A.
Sulphur compounds. CLVII. Determination of cysteine-*S*-sulphonate by ion-pair chromatography and its formation by autoxidation of cysteine persulphide 606(1992)260
Sun, X.-Y., see Aue, W. A. 606(1992)73
Suzuki, T., see Saeki, R. 606(1992)187
Tahara, S., see Gagnon, H. 606(1992)255
Tanaka, H., see Hanaoka, N. 606(1992)129
Van Alebeek, G.-J. W. M., Hermans, J. M. H., Keltjens, J. T. and Vogels, G. D.
Quantification of intermediates involved in the cyclic 2,3-diphosphoglycerate metabolism of methanogenic bacteria by ion-exchange chromatography 606(1992)65
Varazini, F., see Amelio, M. 606(1992)179
Vogels, G. D., see Van Alebeek, G.-J. W. M. 606(1992)65
Watson, E. and Kenney, W. C.
Multiple peak formation from reversed-phase liquid chromatography of recombinant human platelet-derived growth factor 606(1992)165
Wear, T. J., see Bamford, C. H. 606(1992)19
Yadav, A. and Singh, R. K. P.
Ionophoretic technique in the study of mixed-ligand complexes of biochemical importance in the Co(II)/Cu (II)–adenosine diphosphate nitrilotriacetate system 606(1992)147
Zhang, Y., see Chen, N. 606(1992)1
Žutautas, V., Baškevičiūtė, B. and Pesliakas, H.
Affinity partitioning of enzymes in aqueous two-phase systems containing dyes and their copper(II) complexes bound to poly(ethylene glycol) 606(1992)55

Errata

J. Chromatogr., 585 (1991) 247–254

Page 249, right column, 14th line from the top: "0.05 *M* ammonium acetate buffer (pH 3.8)–acetonitrile (30:70, v/v)" should read "0.05 *M* ammonium acetate buffer (pH 3.8)–acetonitrile (70:30, v/v).

Page 250, left column, 13th line from the bottom: "0.05 *M* ammonium acetate buffer (pH 3.8)–acetonitrile solution (38:62)" should read "0.05 *M* ammonium acetate buffer (pH 3.8)–acetonitrile solution (62:38)".